Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"6651096"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 08:15
S1	58	("3648254" or "4296475" or "4791606" or "4996666" or "5339076" or "5383146" or "5404482" or "5428565" or "5440715" or "5450351" or "5684954" or "5802567" or "5841874" or "5852569" or "5956336" or "5978885" or "6041389" or "6047369" or "6069573" or "6081440" or "6134135" or "6137707" or "6154384" or "6175513" or "6181698" or "6199140" or "6240003" or "6246601" or "6307855").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:08
S2	102	("6467019" or "6651096" or "6606681" or "6658002" or "6715029" or "6717946" or "6738862" or "6775737" or "5748905" or "6707692" or "6597595" or "6546391" or "6317350" or "6295576" or "6374326" or "6389506" or "6526474" or "6535951" or "5088032" or "5319763" or "5481540" or "5515370" or "5740171" or "5842040" or "5898689" or "5920886" or "5930359" or "6000008" or "6061368" or "6091725" or "6097724" or "6141738" or "6148364" or "6219748" or "6236658" or "6237061" or "6240485" or "6243667" or "6285378" or "6289414" or "6308219" or "6377577" or "6430190" or "6434662" or "20030231631" or "20040030802" or "20040030803" or "20030223259" or "20030005146" or "20010038554").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:09

S3	44475	(merged or combined or concatenated) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:23
S4	80319	(merged or combined or concatenated) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:31
S5	562	711/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:23
S6	55	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:23
S7	979	(identif$3 or determin$3) with (merged or combined or concatenated) near2 result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:32
S8	0	S5 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:35
S9	0	adjunt near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:35
S10	234	adjunct near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:36

S11	1	S5 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:38
S12	6	merged near2 look$1up near2 results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:10
S13	2	"20040170171"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:21
S14	8	S5 and combiner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:48
S15	101	adjunct near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:48
S16	1	S5 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:50
S17	688703	(associative adj memory) or ((content adj addressable adj memory) or CAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:40
S18	12	S15 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:52

S19	688801	(associative adj memory) or ((content adj addressable adj memory) or CAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:33
S20	248	(identif$3 or determin$3) with (merged or concatenated or combined) near5 (search or look$1up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:43
S21	19	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:52
S22	18177	S19 and bank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:53
S23	18508	(search or look$1up) near2 (results or outputs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:54
S24	323	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:01
S25	52482	"access control list" or ACL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:02
S26	9230	S19 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:03

S27	57	S26 and (memory near2 (banks or blocks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:41
S28	3	"6718326"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:26
S29	43973	(memory near2 (banks or blocks)) or (plurality near5 memories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:44
S30	63	S26 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:53
S31	564	711/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:53
S32	2	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:54
S33	131	S25 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:54
S34	2	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:55

S35	6277	370/351-356,395.3,395.31,395.52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:56
S36	3	S33 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:57
S37	5155	709/238,242,245-246.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:59
S38	4	S33 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 12:59
S39	58	("3648254" or "4296475" or "4791606" or "4996666" or "5339076" or "5383146" or "5404482" or "5428565" or "5440715" or "5450351" or "5684954" or "5802567" or "5841874" or "5852569" or "5956336" or "5978885" or "6041389" or "6047369" or "6069573" or "6081440" or "6134135" or "6137707" or "6154384" or "6175513" or "6181698" or "6199140" or "6240003" or "6246601" or "6307855").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:12

S40	102	("6467019" or "6651096" or "6606681" or "6658002" or "6715029" or "6717946" or "6738862" or "6775737" or "5748905" or "6707692" or "6597595" or "6546391" or "6317350" or "6295576" or "6374326" or "6389506" or "6526474" or "6535951" or "5088032" or "5319763" or "5481540" or "5515370" or "5740171" or "5842040" or "5898689" or "5920886" or "5930359" or "6000008" or "6061368" or "6091725" or "6097724" or "6141738" or "6148364" or "6219748" or "6236658" or "6237061" or "6240485" or "6243667" or "6285378" or "6289414" or "6308219" or "6377577" or "6430190" or "6434662" or "20030231631" or "20040030802" or "20040030803" or "20030223259" or "20030005146" or "20010038554").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:41
S42	0	S33 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:11
S43	3	S33 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:12
S44	2	"6467019".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:41
S45	2	"20040170172"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:33

S46	2	"20040170171"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:09
S47	157	S31 and (cascad$3 or chain$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:11
S48	116	S47 and (simulatn$5 or parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:12
S49	27	S47 and ((simulatn$5 or parallel) near5 (look$1up or search))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:50
S51	1408	(associative adj memory).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:53
S52	10	S51 and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:54
S53	5441	(merg$3 or combin$3 or cncatenat$3) with (look$1up or search$3 or scan$3) with (result or output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:25
S54	65409	(first or primary or initial or multiple) with (search$3 or scan$3 or look$1up) with (value or key or data or word or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:26

S55	38902	(simultan$3 or parallel) with (look$1up or search$3 or scan$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:29
S56	519	S53 and S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:30
S57	51658	(second$3 or another or next) with (search$3 or scan$3 or look$1up) with (value or key or data or word or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:32
S58	400	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:32
S59	688887	(associative adj memory) or ((content adj addressable adj memory) or CAM or TCAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:39
S60	50	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 09:34
S61	31679	(first or primary or initial or multiple) with (search$3 or scan$3 or look$1up) with (results or outputs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 11:27
S62	10321	(first or primary or initial or multiple) with (search$3 or scan$3 or look$1up) with (results or outputs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:27

S63	1157	S53 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:28
S64	187	S56 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:28
S65	28	S59 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:48
S66	53	"5748905"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:39
S67	40	S66 and (simultan$3 or parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:51
S68	14	S59 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:51
S69	1831	classification with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:39
S70	32577	plurality near5 ((associative adj memory) or ((content adj addressable adj memory) or CAM or TCAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:40

S71	30	S69 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:40